

BRIGHTEN YOUR HOME WITH CUTTING-EDGE LED LIGHTS AND APPLIANCES



AGELAST INNOVATIVE SOLUTIONS is one of India's growing smart lighting company specializing in international lighting products. AGELAST INNOVATIVE SOLUTIONS a dominant force in the lighting industry has been engaged as a leading manufacture of all types of LED smart lights and envisions to provide sustainable, safe & energy-efficient smart lighting solutions to the world. Every LED light made by AGELAST INNOVATIVE SOLUTIONS is crafted to meet global standards. AGELAST INNOVATIVE SOLUTIONS lights not only have the technology, they also perform with perfection & ease. Their usage ranges from residential & retail, to commercial & industrial applications. AGELAST INNOVATIVE SOLUTIONS lights are fully integrated into the systematic structure of the overall product range.

Vision

We see ourselves growing at heights that every indian aspires to achieve to deliver the best at affordable prices to work out and reach maximum people possible. So that every Indian home is lightened with AGELAST INNOVATIVE SOLUTIONS.

Missinn

A thought that is embodied in our products to deliver exceptional value and service to supersede the expectations of our clients and set the standard and development through ongoing improvement and investment in quality service infrastructure. The idea is to be innovative and to think long term in strategy and planning.

Our wide range of LED lighting solutions is specifically designed to substitute the existing conventional lighting systems and change the way people live and see forever.

CONSUMER LIGHTING: LED Bulbs & LED Tube Lights etc.

COMMERCIAL LIGHTING: LED Down Lights, LED Panel Lights, LED COB Lights, LED Track Lights,

atc..


INDUSTRIAL LIGHTING: LED Street Lights, LED Flood Lights & LED HI-Bay Lights etc.

FANCY LIGHTING: LED Strip Lights & LED Wall Lights etc.



LED K-LIGHT K SERIES









76x81x65 mm 142x42x65 mm

Specification

Power Factor	>0.9
Input Voltage	AC220-240V
Driver Efficiency	>85%
THD	<20%
CRI	>80%
Surge Protection	2.5 kV
Ingress Protection	IP65
Housing Types	Aluminium Die Casting

COLOUR 🔾 🔷 🔘





#ਦED | upto 35000hrs | High Efficiency

LED WALL LIGHT

4 WAY/2WAY SERIES







Specification

Power Factor	>0.9
Input Voltage	AC220-240V
Driver Efficiency	>85%
THD	<20%
CRI	>80%
Surge Protection	2.5 kV
Images Protection	IP65
Housing Types	Aluminium Die Casting





ਾਇ | upto 36000hrs | High Efficiency

LED FOOT LIGHT


STEP SERIES







Power Factor	>0.9
Input Voltage	AC220-240V
Driver Efficiency	>85%
THD	<20%
CRI	>80%
Surge Protection	2.5 kV
Images Protection	IP65
Housing Types	Aluminium Die Casting











LED DECOR BULB



Specification

Average Life Hours	35000 hrs
Housing Type	PC Body
Cap Size	B22
Ingress Protection	IP20
Size	40x65 mm

COLOUR () () () () ()









ਯੂਦ**ED** | upto 35000hrs | High Efficiency

LED WALL LIGHT

0.5W

6W

TOPAZ SERIES



Specification

Power Factor	>0.9
Input Voltage	AC220~240V
Driver Efficiency	> 85%
Lumen Efficiency	105lm/W
CRI	>80%
THD	<20%
Surge Protection	4kV
Ingress Protection	IP20
Cap Size	B22/E27
Housing Type	Aluminum Insert with PC Housing

COLOUR () ()





ਯੂਦੂED | upto 35000hrs | High Efficiency

LED FOOT LIGHT

DIAMOND SERIES





57x99 mm

Specification

Power Factor	>0.9
Input Voltage	AC220-240V
Driver Efficiency	>85%
THD	<20%
CRI	>80%
Surge Protection	2.5 kV
Images Protection	IP65
Housing Types	Aluminium Die Casting

COLOUR 🔾 🔷 🔘









AC-DC LED BULB SHOCK SERIES



Specification

Power Factor	>0.9
Input Voltage	AC220~240V
Driver Efficiency	> 85%
THD	<20%
Lumen Efficiency	100lm/W
CRI	>80%
Surge Protection	4kV
Ingress Protection	IP20
Cap Size	B22
Housing Type	Aluminum Insert with PC Housing

COLOUR ()

#₽ED | upto 35000hrs | High Efficiency

LED RAINBOW BULB

RAINBOW SERIES





10W

70x139 mm

57x99 mm

Specification

Power Factor	>0.9
Input Voltage	AC220~240V
Driver Efficiency	> 85%
THD	<20%
CRI	>80%
Surge Protection	4kV
Ingress Protection	IP20
Cap Size	B22
Housing Type	Aluminum Insert with PC Housing

COLOUR







#₽₽D | upto 35000hrs | High Efficiency

LED HIGHER WATTAGE BULB

EMRALD SERIES





75x130 mm



100x185 mm





100x185 mm 100x185 mm

Power Factor	>0.9
Input Voltage	AC220~240V
Driver Efficiency	> 85%
THD	<20%
Lumen Efficiency	100lm/W
CRI	>80%
Surge Protection	4kV
Ingress Protection	IP20
Cap Size	B22/E27
Housing Type	Aluminum Insert with PC Housing









6W

1135x24x38

mm

(PC)

20W

mm

(PC)

1135x24x38

1175x32x38 mm (PC)

36W

1205x30x38 mm (AL)

Specification

Power Factor	>0.9
Input Voltage	AC220~240V
Driver Efficiency	> 85%
THD	<20%
Lumen Efficiency	100lm/W
CRI	>80%
Surge Protection	4kV
Ingress Protection	IP20

COLOUR O O O O O O O O O O O O











@EED | upto 35000hrs | High Efficiency

LED DOWN LIGHT

SUN SERIES





Specification

Power Factor	>0.9
Input Voltage	AC220~240V
Driver Efficiency	> 85%
THD	<20%
Lumen Efficiency	70lm/W
CRI	>80%
Surge Protection	4kV
Cut Out Size	42 mm
Ingress Protection	IP20
Housing Type	PC Housing

COLOUR () () () () () ()











ਰਾਇED | upto 36000hrs | High Efficiency

LED DOWN LIGHT

108x78 mm

PLUTO SERIES



Specification

Power Factor	>0.9
Input Voltage	AC220~240V
Driver Efficiency	> 85%
THD	<20%
Lumen Efficiency	80lm/W
CRI	>80%
Surge Protection	4kV
Cut-Out Size	3.5 Inch
Ingress Protection	IP20
Housing Type	Al Insert With PC Housing











COLOUR 🔘 🔘 🌘 🌑 🖜 3 in 1

#₽ED | upto 35000hrs | High Efficiency

LED DOWN LIGHT MARS SERIES



Specification

	Power Factor	>0.9
	Input Voltage	AC220~240V
	Driver Efficiency	> 85%
	THD	<20%
-	Lumen Efficiency	80lm/W
	CRI	>80%
	Surge Protection	4kV
	Cut-Out Size	3.5 Inch
	Ingress Protection	P20
	Housing Type	Al Housing

COLOUR () () () () () 3 in 1











ਯੂਦੂED | upto 35000hrs | High Efficiency

LED DOWN LIGHT





Specification

Power Factor	>0.9
Input Voltage	AC220~240V
Driver Efficiency	> 85%
THD	<20%
Lumen Efficiency	80lm/W
CRI	>80%
Surge Protection	4kV
Ingress Protection	IP20
Housing Type	PC Housing
Available in	Rainbow, Red+White Blue+White, Green+White

COLOUR 🔾 🔷 🔘





#ਦED | upto 36000hrs | High Efficiency

STRIKER SERIES

LED STICKER



Power Factor	>0.9
Input Voltage	AC220~240V
Driver Efficiency	> 85%
THD	<20%
Lumen Efficiency	70lm/W
CRI	>80%
Surge Protection	2.5kV
Ingress Protection	IP20
Housing Type	PC Housing



















Specification

Power Factor	>0.9
Input Voltage	AC220~240V
Driver Efficiency	> 85%
THD	<20%
Lumen Efficiency	100lm/W
CRI	>80%
Surge Protection	4kV
Ingress Protection	P20
Housing Type	PC Housing







@EED | upto 35000hrs | High Efficiency





85x44 mm

140x45 mm

LED DOWN LIGHT BACKLIT

MOON SERIES



Specification

Power Factor	>0.9
Input Voltage	AC220~240V
Driver Efficiency	> 85%
THD	<15%
Lumen Efficiency	85lm/W
CRI	>80%
Surge Protection	4kV
Ingress Protection	IP20
Housing Type	PC Housing











82x35x82 mm Cut Out : 3.5"

Cut Out : 4"

Cut Out : 6"

Cut Out : 6"

110x35x110 mm 116x35x116 mm 165x35x165 mm 220x35x220 mm Cut Out: 8"

COLOUR () ()







LED | upto 35000hrs | High Efficiency

LED SLIM DOWN LIGHT

SILVER SERIES

AISPL








>0.9
AC220~240V
> 85%
<20%
85lm/W
>80%
4kV
IP20
PC Housing





















Specification

Power Factor	>0.9
Input Voltage	AC220~240V
Driver Efficiency	> 85%
THD	<20%
Lumen Efficiency	100lm/W
CRI	>80%
Surge Protection	10kV (Above 50W)
Ingress Protection	IP65/ IP66
Housing Type	Aluminum Die Casting







upto 50000hrs | High Efficiency والمعادة المعادة المع

LED STREET LIGHT

GENERAL SERIES











223x100 mm

270x124 mm

438x208 mm

Specification

Power Factor	>0.9
Input Voltage	AC220~240V
Driver Efficiency	> 85%
THD	<20%
Lumen Efficiency	100lm/W
CRI	>80%
Surge Protection	10kV (Above 50W)
Ingress Protection	IP65/ IP66
Housing Type	Aluminum Die Casting

COLOUR () ()





upto 35000hrs | High Efficiency والمعادة

LED DRIVERS & SMPS

PRO SERIES



- Built-in Active PFC
- High PFC>0.92,
- High Efficiency>85%.
- Universal Voltage 100-240V AC
- Rubycon Capacitor, Giant Brand IC, 100% Copper Transformer.
- Can Be Customized LED Driver Without Strobe.
- 100% Burn-in Testing.














278x205

Specification

Power Factor	>0.9
Input Voltage	AC220~240V
Driver Efficiency	> 85%
THD	<20%
Lumen Efficiency	100lm/W
CRI	>80%
Surge Protection	10kV (Above 50W)
Ingress Protection	IP65
Housing Type	Aluminum Die Casting









upto 50000hrs | High Efficiency ا

LED DOWN LIGHT COB LIGHT

COB SERIES












Specification

Power Factor	>0.9
Input Voltage	AC220~240V
Driver Efficiency	> 85%
THD	<20%
Lumen Efficiency	90lm/W
CRI	>80%
Surge Protection	2.5kV
Ingress Protection	IP20
Housing Type	AL Housing
Reflector Colour	White, Rose Gold, Red Wine











LED SPOT LIGHT ADJUSTABLE

COB SMD SERIES





	Power Factor	>0.9
,	Input Voltage	AC220~240V
	Driver Efficiency	> 85%
	THD	<20%
	Lumen Efficiency	90lm/W
	CRI	>80%
	Surge Protection	4kV
	Ingress Protection	IP20
	Housing Type	AL Housing











LED HI-BAY LIGHT **UFO SERIES**




Specification

	Power Factor	>0.9
	Input Voltage	AC220~240V
•	Driver Efficiency	> 85%
	THD	<20%
	Lumen Efficiency	100lm/W
	CRI	>80%
	Surge Protection	10kV
	Ingress Protection	IP66
	Housing Type	Aluminum Die Casting











#₽ED | upto 50000hrs | High Efficiency

LED FLOOD LIGHT

SATURN SERIES























Specification

Power Factor	>0.9
Input Voltage	AC220~240V
Driver Efficiency	> 85%
THD	<20%
Lumen Efficiency	100lm/W
CRI	>80%
Surge Protection	10kV (Above 50W)
Ingress Protection	IP65/ IP66
Housing Type	Aluminum Die Casting















COLOUR () ()







upto 50000hrs | High Efficiency الاعتادة

LED SPICK LIGHT

SPICKS SERIES



Power Factor	>0.9
Input Voltage	AC220~240V
Driver Efficiency	> 85%
THD	<20%
CRI	>80%
Surge Protection	2.5kV
Ingress Protection	IP66
Housing Type	Aluminum Die Casting







